Risk Management Contract Review

Contract/ Agreement Title 178-0234-CP (JJ) FY18 - FY19 Annual Potable Water & Reclaimed Water Repair Services PID No. 2246C															
Bid/Contract#	17	178-0234-CP (JJ)				Gran	nicus#	18-111D			Stars#	1818527			
Purchasing Contact: Jim Just				PIC			PID#	2246C Am		Amount	\$1	1,881,751.90			
Department	partment Utilities				Project/Contract Mgr: De				Dennis	Dennis Simpson					
Type of Contract (select both)			ITB -	Invit	ation t	o bid Purchasing			hasing		Method of Review		Granicus		
Limitation of Liability?			Indemnification Lang				angu	uage?			If PE to PE, §768.28?				
JPA: Choose one				Name of JPA: Choose an					item	١.					

Required Coverages	Add'l Language / Exclusions	Limits	Justification
WC/EL		500K Person	
		500K Disease	
		500K Disease limit	
CGL	No XCU exclusions	1M Occurrence	
		2M Aggregate	
AL		1M Per accident	
Excess/Umbrella	No XCU exclusions	4M Occurrence	Heavy equipment and trucks
		4M Aggregate	operating ion county property
Professional		1M Occurrence	Survey work
		1M Aggregate	
Pollution		2M Occurrence	Excavation and repair of potable
		2M Aggregate	water lines
Choose an item.			
Choose an item.			

Date/Time/Comments: 02/12/2018 This contract replaces previous contract 145-0038 (attached). Reviewed exposures with Dennis Simson PM and emailed response (attached) Used same limits as previous agreement but increased workers comp to current County minimum. Current vendor is compliant with higher limit.

NOTES:

Project involves work order projects for 2018 to 2019 for the inspection and repair of potable water lines. Work to be performed includes video inspection, reports of condition, repairs of pipes, decontamination of pipes, excavation, horizontal boring, road and sidewalk repair work, surveying. The County is the engineer on the project. Water samples are tested by County at sites before water is allowed to pass through.

Initial Reviewer:	Rick Kahler	Date 2/12/2018
Approved By:	Approved	Date 2/20/2018
Final Approval:	Virginia E. Holscher, Director	Date 2/21/2018